



UniFi® | SECURITY GATEWAY **PRO**



QUICK START GUIDE

Introduction

Thank you for purchasing the Ubiquiti Networks® UniFi® Security Gateway Pro. This Quick Start Guide is designed to guide you through installation and also includes warranty terms.

Package Contents



UniFi Security Gateway Pro



Power Cord



Mounting Screws
(Qty. 4)



Cage Nuts
(Qty. 4)



Quick Start
Guide

UniFi Controller System Requirements

- Linux, Mac OS X, or Microsoft Windows 7/8/10
- Java Runtime Environment 1.6 (or above)
- Web Browser: Google Chrome (Other browsers may have limited functionality)
- UniFi Controller software v4.8 or higher (available at: **downloads.ubnt.com/unifi**)




IMPORTANT: We strongly recommend using UPS backup and power regulation to prevent equipment damage due to stability issues with local AC power.

TERMS OF USE: All Ethernet cabling runs must use CAT5 (or above). It is the professional installer's responsibility to follow local country regulations and indoor cabling requirements.

Network Requirement


A UniFi Cloud Key or management station running the UniFi Controller software, located either on-site and connected to the same Layer-2 network, or off-site in the cloud or NOC



All UniFi devices support off-site management controllers. For setup details, see the User Guide on our website at: www.ubnt.com/download/unifi


Hardware Overview

Front Panel Ports



Interface	Description
Console	RJ45 serial console port for Command Line Interface (CLI) management. Use an RJ45-to-DB9 serial console cable, also known as a rollover cable, to connect the <i>Console</i> port to your computer. Then configure the following settings as needed: <ul style="list-style-type: none">• <i>Baud rate</i> 115200• <i>Data bits</i> 8• <i>Parity</i> NONE• <i>Stop bits</i> 1• <i>Flow control</i> NONE
USB	Reserved for future use.
LAN	RJ45 ports support 10/100/1000 Ethernet connections. By default, the <i>LAN1</i> port is set to <i>DHCP Server</i> , and its IP address is <i>192.168.1.1/24</i> .
WAN	RJ45 ports support 10/100/1000 Ethernet connections. A <i>WAN</i> port is active only if the corresponding <i>SFP</i> port is empty. By default, the <i>WAN1</i> port is set to <i>DHCP Client</i> .
SFP	SFP ports are hot-swappable and support 10/100/1000 fiber SFP modules. If an SFP module is plugged in, then the <i>SFP</i> port is active, and the corresponding <i>WAN</i> port is deactivated. By default, the <i>SFP1</i> port is set to <i>DHCP Client</i> .


Front Panel System LED



State	Status
White	Factory defaults, waiting for adoption.
Blue	Successfully adopted by a network and working properly.
Alternating White/Blue	Device is busy; do not touch or unplug it. This usually indicates that a process such as a firmware upgrade is taking place.
Flashing Blue	This is used to locate a device. When you click Locate in the UniFi Controller software, the System LED will flash blue. The software will also display the location of the UniFi Security Gateway Pro on the map.

Front Panel Port LEDs

LAN: Speed/Link/Act WAN: Speed/Link/Act SFP: Speed/Link/Act




LED	State	Status
LAN / WAN / SFP	Off	No Link
	Amber	Link Established at 10/100 Mbps Flashing Indicates Activity
	Green	Link Established at 1000 Mbps Flashing Indicates Activity




640-00128-04


Front Panel Button



Button	Description
Reset	Resets to factory defaults. The UniFi Security Gateway Pro should be running after bootup is complete. Press and hold the Reset button for about 10 seconds until the right LED on the WAN2 port starts flashing and then becomes solidly lit. After a few seconds, the LED will turn off, and the UniFi Security Gateway Pro will automatically reboot.

Back Panel



 **Note:** There are additional ventilation holes on the sides of the UniFi Security Gateway Pro.

Installation Requirements

- Phillips screwdriver
- Standard-sized, 19" wide rack with a minimum of 1U height available
- For indoor applications, use Category 5 (or above) UTP cabling approved for indoor use.
- For outdoor applications, shielded Category 5 (or above) cabling should be used for all wired Ethernet connections and should be grounded through the AC ground of the power supply.

We recommend that you protect your networks from harmful outdoor environments and destructive ESD events with industrial-grade, shielded Ethernet cable from Ubiquiti Networks. For more details, visit:

www.ubnt.com/toughcable



WARNING: To reduce the risk of fire or electric shock, do not expose this product to rain or moisture.



Note: Although the cabling can be located outdoors, the UniFi Security Gateway Pro itself should be housed inside a protective enclosure.


Hardware Installation

! **WARNING:** FAILURE TO PROVIDE PROPER VENTILATION MAY CAUSE FIRE HAZARD. KEEP AT LEAST 20 MM OF CLEARANCE NEXT TO THE VENTILATION HOLES FOR ADEQUATE AIRFLOW.


1. Connect the *Power Cord* to the *Power* port of the UniFi Security Gateway Pro.



2. Attach the UniFi Security Gateway Pro to the rack using the four *Mounting Screws*. (If the rack has square slots, then use the *Cage Nuts* with the *Mounting Screws*.)



3. Connect the other end of the *Power Cord* to a power outlet.



Connecting Ethernet

1. Connect an Ethernet cable from a broadband modem or WAN to the *WAN1* port.



2. Connect an Ethernet cable from your computer or host system to the *LAN1* port.



3. Connect an Ethernet cable from your network switch to the *LAN2* port.

Using SFP Ports


To use an *SFP* port:

1. Remove the protective plug covering the *SFP* port.
2. Plug a compatible fiber module into the *SFP* port.



Note: The corresponding *WAN* port will be deactivated.

3. Connect a fiber optic cable to the fiber module. Then connect the other end of the cable to another fiber device.




For information about compatible fiber SFP modules, visit:
community.ubnt.com/unifi

Software Installation

Download the latest version of the UniFi Controller software at: www.ubnt.com/download/unifi

From a management station connected to the same Layer-2 network, launch the installer and follow the on-screen instructions.

 **Note:** If you already have UniFi Controller v4.8 or higher installed, go to the section, *Adopting the UniFi Security Gateway Pro*.

After you have installed the software and run the UniFi Setup Wizard, a login screen will appear for the UniFi Controller management interface. Enter the *Admin Name* and *Password* that you created in the UniFi Setup Wizard. Then click **Sign in**.



You can manage your network and view network statistics using the UniFi Controller management interface. For information on using the UniFi Controller software, refer to the User Guide located on our website at:


www.ubnt.com/download/unifi

Adopting the UniFi Security Gateway Pro

1. From the UniFi Controller dashboard, click **Devices** in the left menu bar.



2. On the *Devices* screen, locate the UniFi Security Gateway Pro in the list of devices under the *Model* column. To adopt it, click **Adopt**.

The screenshot shows the UniFi Controller 'Devices' page. It displays a table with columns for 'Name', 'Model', 'Status', 'IP', 'MAC', and 'Adopt'. The 'Model' column lists various UniFi devices, including UniFi Security Gateways. The 'Status' column shows the adoption status of each device, with some devices marked as 'Adopted' and others as 'Not Adopted'. The 'Adopt' button is visible for each device in the table.


Name	Model	Status	IP	MAC	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.1	98:4D:31:1A:2B:3C	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.2	98:4D:31:1A:2B:3D	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.3	98:4D:31:1A:2B:3E	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.4	98:4D:31:1A:2B:3F	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.5	98:4D:31:1A:2B:40	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.6	98:4D:31:1A:2B:41	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.7	98:4D:31:1A:2B:42	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.8	98:4D:31:1A:2B:43	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.9	98:4D:31:1A:2B:44	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.10	98:4D:31:1A:2B:45	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.11	98:4D:31:1A:2B:46	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.12	98:4D:31:1A:2B:47	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.13	98:4D:31:1A:2B:48	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.14	98:4D:31:1A:2B:49	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.15	98:4D:31:1A:2B:4A	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.16	98:4D:31:1A:2B:4B	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.17	98:4D:31:1A:2B:4C	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.18	98:4D:31:1A:2B:4D	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.19	98:4D:31:1A:2B:4E	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.20	98:4D:31:1A:2B:4F	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.21	98:4D:31:1A:2B:50	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.22	98:4D:31:1A:2B:51	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.23	98:4D:31:1A:2B:52	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.24	98:4D:31:1A:2B:53	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.25	98:4D:31:1A:2B:54	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.26	98:4D:31:1A:2B:55	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.27	98:4D:31:1A:2B:56	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.28	98:4D:31:1A:2B:57	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.29	98:4D:31:1A:2B:58	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.30	98:4D:31:1A:2B:59	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.31	98:4D:31:1A:2B:5A	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.32	98:4D:31:1A:2B:5B	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.33	98:4D:31:1A:2B:5C	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.34	98:4D:31:1A:2B:5D	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.35	98:4D:31:1A:2B:5E	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.36	98:4D:31:1A:2B:5F	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.37	98:4D:31:1A:2B:60	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.38	98:4D:31:1A:2B:61	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.39	98:4D:31:1A:2B:62	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.40	98:4D:31:1A:2B:63	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.41	98:4D:31:1A:2B:64	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.42	98:4D:31:1A:2B:65	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.43	98:4D:31:1A:2B:66	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.44	98:4D:31:1A:2B:67	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.45	98:4D:31:1A:2B:68	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.46	98:4D:31:1A:2B:69	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.47	98:4D:31:1A:2B:6A	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.48	98:4D:31:1A:2B:6B	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.49	98:4D:31:1A:2B:6C	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.50	98:4D:31:1A:2B:6D	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.51	98:4D:31:1A:2B:6E	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.52	98:4D:31:1A:2B:6F	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.53	98:4D:31:1A:2B:70	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.54	98:4D:31:1A:2B:71	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.55	98:4D:31:1A:2B:72	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.56	98:4D:31:1A:2B:73	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.57	98:4D:31:1A:2B:74	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.58	98:4D:31:1A:2B:75	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.59	98:4D:31:1A:2B:76	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.60	98:4D:31:1A:2B:77	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.61	98:4D:31:1A:2B:78	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.62	98:4D:31:1A:2B:79	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.63	98:4D:31:1A:2B:7A	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.64	98:4D:31:1A:2B:7B	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.65	98:4D:31:1A:2B:7C	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.66	98:4D:31:1A:2B:7D	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.67	98:4D:31:1A:2B:7E	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.68	98:4D:31:1A:2B:7F	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.69	98:4D:31:1A:2B:80	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.70	98:4D:31:1A:2B:81	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.71	98:4D:31:1A:2B:82	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.72	98:4D:31:1A:2B:83	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.73	98:4D:31:1A:2B:84	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.74	98:4D:31:1A:2B:85	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.75	98:4D:31:1A:2B:86	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.76	98:4D:31:1A:2B:87	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.77	98:4D:31:1A:2B:88	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.78	98:4D:31:1A:2B:89	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.79	98:4D:31:1A:2B:8A	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.80	98:4D:31:1A:2B:8B	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.81	98:4D:31:1A:2B:8C	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.82	98:4D:31:1A:2B:8D	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.83	98:4D:31:1A:2B:8E	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.84	98:4D:31:1A:2B:8F	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.85	98:4D:31:1A:2B:90	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.86	98:4D:31:1A:2B:91	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.87	98:4D:31:1A:2B:92	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.88	98:4D:31:1A:2B:93	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.89	98:4D:31:1A:2B:94	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.90	98:4D:31:1A:2B:95	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.91	98:4D:31:1A:2B:96	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.92	98:4D:31:1A:2B:97	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.93	98:4D:31:1A:2B:98	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.94	98:4D:31:1A:2B:99	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.95	98:4D:31:1A:2B:9A	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.96	98:4D:31:1A:2B:9B	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.97	98:4D:31:1A:2B:9C	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.98	98:4D:31:1A:2B:9D	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.99	98:4D:31:1A:2B:9E	Adopt
UniFi Security Gateway Pro	USG-Pro	Adopted	192.168.1.100	98:4D:31:1A:2B:9F	Adopt

3. The *System LED* on the UniFi Security Gateway Pro will turn blue to confirm that it is successfully adopted.

Optional WAN Port Configuration via Layer 3

By default, the *WAN1* port is set to *DHCP* so it can be assigned network settings by the service provider. To change the setting, connect a computer directly (or through a switch) to the *LAN1* port of the UniFi Security Gateway Pro.

1. From a web browser, go to: **https://setup.ubnt.com**



2. The UniFi Security Gateway Pro login window will appear. Enter your *Username* and *Password*. Click **Sign In**.



Note: If the UniFi Security Gateway Pro has not been adopted by a UniFi Controller, the login window will be skipped and the *Setup* window will appear.

3. In the *Setup* window, click **Edit Configuration** to configure the *WAN1* port as *DHCP*, *Static IP*, or *PPPoE*.



For information on using the UniFi Controller software, refer to the User Guide located on our website at:


www.ubnt.com/download/unifi


Specifications


UniFi Security Gateway Pro	
Dimensions	484 x 44 x 164 mm (19.06 x 1.73 x 6.46")
Weight	2.30 kg (5.07 lb)
Networking Interfaces Serial Console Port Data Ports	(1) RJ45 Serial Port (2) 10/100/1000 RJ45 Ports (2) 10/100/1000 RJ45/SFP Combination Ports
Max. Power Consumption	40W
Power Supply	Internal AC/DC Power Adapter, 60W (24V, 2.5A)
Supported Voltage Range	110 - 240VAC
LEDs System Data Ports	Status Speed/Link/Activity
Layer 3 Forwarding Performance Packet Size: 64 Bytes Packet Size: 512 Bytes or Larger	2,400,000 pps 4 Gbps (Line Rate)
Processor	Dual-Core 1 GHz, MIPS64 with Hardware Acceleration for Packet Processing
System Memory	2 GB DDR3 RAM
On-Board Flash Storage	4 GB
Rackmount	Yes
Operating Temperature	-10 to 45° C (14 to 113° F)
Operating Humidity	10 to 90% Noncondensing
Certifications	CE, FCC, IC


Safety Notices

1. Read, follow, and keep these instructions.
2. Heed all warnings.
3. Only use attachments/accessories specified by the manufacturer.

 **WARNING:** Failure to provide proper ventilation may cause fire hazard. Keep at least 20 mm of clearance next to the ventilation holes for adequate airflow.

 **WARNING:** To reduce the risk of fire or electric shock, do not expose this product to rain or moisture.

 **WARNING:** Do not use this product in location that can be submerged by water.

 **WARNING:** Avoid using this product during an electrical storm. There may be a remote risk of electric shock from lightning.

Electrical Safety Information

1. Compliance is required with respect to voltage, frequency, and current requirements indicated on the manufacturer's label. Connection to a different power source than those specified may result in improper operation, damage to the equipment or pose a fire hazard if the limitations are not followed.
2. There are no operator serviceable parts inside this equipment. Service should be provided only by a qualified service technician.
3. This equipment is provided with a detachable power cord which has an integral safety ground wire intended for connection to a grounded safety outlet.
 - a. Do not substitute the power cord with one that is not the provided approved type. Never use an adapter plug to connect to a 2-wire outlet as this will defeat the continuity of the grounding wire.
 - b. The equipment requires the use of the ground wire as a part of the safety certification, modification or misuse can provide a shock hazard that can result in serious injury or death.
 - c. Contact a qualified electrician or the manufacturer if there are questions about the installation prior to connecting the equipment.
 - d. Protective earthing is provided by Listed AC adapter. Building installation shall provide appropriate short-circuit backup protection.
 - e. Protective bonding must be installed in accordance with local national wiring rules and regulations.

Limited Warranty

www.ubnt.com/support/warranty/

The limited warranty requires the use of arbitration to resolve disputes on an individual basis, and, where applicable, specify arbitration instead of jury trials or class actions.

Compliance

FCC

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

1. This device may not cause harmful interference, and
2. This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operations of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

ISED Canada

CAN ICES-3(A)/NMB-3(A)

This Class A digital apparatus complies with Canadian CAN ICES-003.

CAN ICES-3(A)/NMB-3(A)

Cet appareil numérique de la classe A est conforme à la norme NMB-003 du Canada.

Australia and New Zealand



Warning: This is a Class A product. In a domestic environment this product may cause radio interference in which case the user may be required to take adequate measures.

CE Marking

CE marking on this product represents the product is in compliance with all directives that are applicable to it.



RoHS/WEEE Compliance Statement



English

European Directive 2012/19/EU requires that the equipment bearing this symbol on the product and/or its packaging must not be disposed of with unsorted municipal waste. The symbol indicates that this product should be disposed of separately from regular household waste streams. It is your responsibility to dispose of this and other electric and electronic equipment via designated collection facilities appointed by the government or local authorities. Correct disposal and recycling will help prevent potential negative consequences to the environment and human health. For more detailed information about the disposal of your old equipment, please contact your local authorities, waste disposal service, or the shop where you purchased the product.

Deutsch

Die Europäische Richtlinie 2012/19/EU verlangt, dass technische Ausrüstung, die direkt am Gerät und/oder an der Verpackung mit diesem Symbol versehen ist, nicht zusammen mit unsortiertem Gemeindeabfall entsorgt werden darf. Das Symbol weist darauf hin, dass das Produkt von regulärem Haushaltsmüll getrennt entsorgt werden sollte. Es liegt in Ihrer Verantwortung, dieses Gerät und andere elektrische und elektronische Geräte über die dafür zuständigen und von der Regierung oder örtlichen Behörden dazu bestimmten Sammelstellen zu entsorgen. Ordnungsgemäßes Entsorgen und Recyceln trägt dazu bei, potentielle negative Folgen für Umwelt und die menschliche Gesundheit zu vermeiden. Wenn Sie weitere Informationen zur Entsorgung Ihrer Altgeräte benötigen, wenden Sie sich bitte an die örtlichen Behörden oder städtischen Entsorgungsdienste oder an den Händler, bei dem Sie das Produkt erworben haben.

Español

La Directiva 2012/19/UE exige que los equipos que lleven este símbolo en el propio aparato y/o en su embalaje no deben eliminarse junto con otros residuos urbanos no seleccionados. El símbolo indica que el producto en cuestión debe separarse de los residuos domésticos convencionales con vistas a su eliminación. Es responsabilidad suya desechar este y cualesquiera otros aparatos eléctricos y electrónicos a través de los puntos de recogida que ponen a su disposición el gobierno y las autoridades locales. Al desechar y reciclar correctamente estos aparatos estará contribuyendo a evitar posibles consecuencias negativas para el medio ambiente y la salud de las personas. Si desea obtener información más detallada sobre la eliminación segura de su aparato usado, consulte a las autoridades locales, al servicio de recogida y eliminación de residuos de su zona o pregunte en la tienda donde adquirió el producto.

Français

La directive européenne 2012/19/UE exige que l'équipement sur lequel est apposé ce symbole sur le produit et/ou son emballage ne soit pas jeté avec les autres ordures ménagères. Ce symbole indique que le produit doit être éliminé dans un circuit distinct de celui pour les déchets des ménages. Il est de votre responsabilité de jeter ce matériel ainsi que tout autre matériel électrique ou électronique par les moyens de collecte indiqués par le gouvernement et les pouvoirs publics des collectivités territoriales. L'élimination et le recyclage en bonne et due forme ont pour but de lutter contre l'impact néfaste potentiel de ce type de produits sur l'environnement et la santé publique. Pour plus d'informations sur le mode d'élimination de votre ancien équipement, veuillez prendre contact avec les pouvoirs publics locaux, le service de traitement des déchets, ou l'endroit où vous avez acheté le produit.

Italiano

La direttiva europea 2012/19/UE richiede che le apparecchiature contrassegnate con questo simbolo sul prodotto e/o sull'imballaggio non siano smaltite insieme ai rifiuti urbani non differenziati. Il simbolo indica che questo prodotto non deve essere smaltito insieme ai normali rifiuti domestici. È responsabilità del proprietario smaltire sia questi prodotti sia le altre apparecchiature elettriche ed elettroniche mediante le specifiche strutture di raccolta indicate dal governo o dagli enti pubblici locali. Il corretto smaltimento ed il riciclaggio aiuteranno a prevenire conseguenze potenzialmente negative per l'ambiente e per la salute dell'essere umano. Per ricevere informazioni più dettagliate circa lo smaltimento delle vecchie apparecchiature in Vostro possesso, Vi invitiamo a contattare gli enti pubblici di competenza, il servizio di smaltimento rifiuti o il negozio nel quale avete acquistato il prodotto.

Declaration of Conformity

български [Bulgarian] С настоящото UBIQUITI NETWORKS декларира, че това устройство USG-PRO-4 е в съответствие със съществените изисквания и други приложими разпоредби на Директиви 2014/30/ЕС, 2014/35/ЕС. Цялостният текст на ЕС декларацията за съответствие може да се намери на следния интернет адрес: www.ubnt.com/compliance

Hrvatski [Croatian] UBIQUITI NETWORKS ovim izjavljuje da je ovaj uređaj USG-PRO-4 sukladan osnovnim zahtjevima i ostalim bitnim odredbama Direktiva 2014/30/EU, 2014/35/EU. Cjeloviti tekst EU izjave o sukladnosti dostupan je na sljedećoj internetskoj adresi: www.ubnt.com/compliance

Čeština [Czech] UBIQUITI NETWORKS tímto prohlašuje, že toto USG-PRO-4 zařízení, je ve shodě se základními požadavky a dalšími příslušnými ustanoveními směrnic 2014/30/EU, 2014/35/EU. Úplné znění EU prohlášení o shodě je k dispozici na této internetové adrese: www.ubnt.com/compliance

Dansk [Danish] Hermed, UBIQUITI NETWORKS, erklærer at denne USG-PRO-4 enhed, er i overensstemmelse med de væsentlige krav og øvrige relevante krav i direktiver 2014/30/EU, 2014/35/EU. EU-overensstemmelseserklæringens fulde tekst kan findes på følgende internetadresse: www.ubnt.com/compliance

Nederlands [Dutch] Hierbij verklaart UBIQUITI NETWORKS, dat deze USG-PRO-4 apparaat, in overeenstemming is met de essentiële eisen en de andere relevante bepalingen van richtlijnen 2014/30/EU, 2014/35/EU. De volledige tekst van de EU-conformiteitsverklaring kan worden geraadpleegd op het volgende internetadres: www.ubnt.com/compliance

English Hereby, UBIQUITI NETWORKS, declares that this USG-PRO-4 device, is in compliance with the essential requirements and other relevant provisions of Directives 2014/30/EU, 2014/35/EU. The full text of the EU declaration of conformity is available at the following internet address: www.ubnt.com/compliance

Eesti keel [Estonian] Käesolevaga UBIQUITI NETWORKS kinnitab, et antud USG-PRO-4 seade, on vastavus olulistele nõuetele ja teistele asjakohastele sätetele direktiivide 2014/30/EL, 2014/35/EL. Eli vastavusdeklaratsiooni täielik tekst on kättesaadav järgmisel internetiaadressil: www.ubnt.com/compliance

Suomi [Finnish] Täten UBIQUITI NETWORKS vakuuttaa, että tämä USG-PRO-4 laite, on yhdenmukainen olennaisten vaatimusten ja muiden sitä koskevien direktiivien 2014/30/EU, 2014/35/EU. EU-vaatimustenmukaisuusvakuutuksen täysimittainen teksti on saatavilla seuraavassa internetosoitteessa: www.ubnt.com/compliance

Français [French] Par la présente UBIQUITI NETWORKS déclare que l'appareil USG-PRO-4, est conforme aux exigences essentielles et aux autres dispositions pertinentes des directives 2014/30/UE, 2014/35/UE. Le texte complet de la déclaration UE de conformité est disponible à l'adresse internet suivante: www.ubnt.com/compliance

Deutsch [German] Hiermit erklärt UBIQUITI NETWORKS, dass sich dieses USG-PRO-4 Gerät, in Übereinstimmung mit den grundlegenden Anforderungen und den anderen relevanten Vorschriften der Richtlinien 2014/30/EU, 2014/35/EU befindet. Der vollständige Text der EU-Konformitätserklärung ist unter der folgenden Internetadresse verfügbar: www.ubnt.com/compliance

Ελληνικά [Greek] Δια του παρόντος, UBIQUITI NETWORKS, δηλώνει ότι αυτή η συσκευή USG-PRO-4, είναι σε συμμόρφωση με τις βασικές απαιτήσεις και τις λοιπές σχετικές διατάξεις των οδηγιών 2014/30/ΕΕ, 2014/35/ΕΕ. Το πλήρες κείμενο της δήλωσης συμμόρφωσης ΕΕ διατίθεται στην ακόλουθη ιστοσελίδα στο διαδίκτυο: www.ubnt.com/compliance

Magyar [Hungarian] Ezennel UBIQUITI NETWORKS kijelenti, hogy ez a USG-PRO-4 készülék megfelel az alapvető követelményeknek és más vonatkozó 2014/30/EU, 2014/35/EU irányelvek rendelkezéseit. Az EU-megfelelőségi nyilatkozat teljes szövege elérhető a következő internetes címen: www.ubnt.com/compliance

Íslenska [Icelandic] Hér, UBIQUITI NETWORKS, því yfir að þetta USG-PRO-4 tæki er í samræmi við grunnkröfur og önnur viðeigandi ákvæði tilskipana 2014/30/ESB, 2014/35/ESB. Fullur texti ESB samræmisýfirlýsing er að finna á eftirfarandi netfangi: www.ubnt.com/compliance

Italiano [Italian] Con la presente, UBIQUITI NETWORKS, dichiara che questo dispositivo USG-PRO-4, è conforme ai requisiti essenziali ed alle altre disposizioni pertinenti delle direttive 2014/30/UE, 2014/35/UE. Il testo completo della dichiarazione di conformità UE è disponibile al seguente indirizzo Internet: www.ubnt.com/compliance

Latviešu valoda [Latvian] Ar šo, UBIQUITI NETWORKS, deklarē, ka USG-PRO-4 ierīce, ir saskaņā ar būtiskajām prasībām un citiem attiecīgiem noteikumiem Direktīvās 2014/30/ES, 2014/35/ES. Pilns ES atbilstības deklarācijas teksts ir pieejams šādā interneta vietnē: www.ubnt.com/compliance

Lietuvių kalba [Lithuanian] UBIQUITI NETWORKS deklaruoja, kad šis USG-PRO-4 įrenginys atitinka esminius reikalavimus ir kitas 2014/30/ES, 2014/35/ES Direktyvų nuostatas. Visas ES atitikties deklaracijos tekstas prieinamas šiuo interneto adresu: www.ubnt.com/compliance

Malti [Maltese] Hawnehkk, UBIQUITI NETWORKS, tidđikjara li dan il-mezz USG-PRO-4 huwa konformi mar-rekwiżiti essenzjali u dispozizzjonijiet rilevanti oħrajn ta' Direttivi 2014/30/UE, 2014/35/UE. Id-dikjarazzjoni tal-konformità tista' tiġi kkonsultata minn www.ubnt.com/compliance

Norsk [Norwegian] Herved UBIQUITI NETWORKS, erklærer at denne USG-PRO-4 enheten, er i samsvar med de grunnleggende kravene og andre relevante bestemmelser i direktivene 2014/30/EU, 2014/35/EU. Den fulle teksten til EU-samsvarserklæringen er tilgjengelig på følgende internettadresse: www.ubnt.com/compliance

Polski [Polish] Niniejszym, Ubiquiti Networks, oświadcza, że urządzenie USG-PRO-4, jest zgodny z zasadniczymi wymaganiami oraz pozostałymi stosownymi postanowieniami Dyrektyw 2014/30/UE, 2014/35/UE. Pełny tekst deklaracji zgodności UE jest dostępny pod następującym adresem internetowej: www.ubnt.com/compliance

Português [Portuguese] UBIQUITI NETWORKS declara que este dispositivo USG-PRO-4, está conforme com os requisitos essenciais e outras disposições das Directivas 2014/30/UE, 2014/35/UE. O texto integral da declaração de conformidade está disponível no seguinte endereço de Internet: www.ubnt.com/compliance

Română [Romanian] Prin prezenta, UBIQUITI NETWORKS declară că acest dispozitiv USG-PRO-4 este în conformitate cu cerințele esențiale și alte prevederi relevante ale Directivelor 2014/30/UE, 2014/35/UE. Textul integral al declarației UE de conformitate este disponibil la următoarea adresă internet: www.ubnt.com/compliance

Slovenčina [Slovak] Týmto UBIQUITI NETWORKS, prehlasuje, že toto USG-PRO-4 zariadenie, je v súlade so základnými požiadavkami a ďalšími relevantnými ustanoveniami smernice 2014/30/EÚ, 2014/35/EÚ. Úplné EÚ vyhlásenie o zhode je k dispozícii na tejto internetovej adrese: www.ubnt.com/compliance

Slovenščina [Slovenian] Družba UBIQUITI NETWORKS izjavlja, da je naprava USG-PRO-4 v skladu z obveznimi zahtevami in drugimi ustreznimi določbami direktiv 2014/30/EU in 2014/35/EU. Celotno besedilo izjave EU o skladnosti je na voljo na naslednjem spletnem naslovu: www.ubnt.com/compliance

Español [Spanish] Por medio de la presente UBIQUITI NETWORKS declara que este dispositivo USG-PRO-4, cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de las Directivas 2014/30/UE, 2014/35/UE. El texto completo de la declaración UE de conformidad está disponible en la dirección Internet siguiente: www.ubnt.com/compliance

Svenska [Swedish] Härmed UBIQUITI NETWORKS, intygar att denna USG-PRO-4 enhet är i överensstämmelse med de väsentliga egenskapskrav och övriga relevanta bestämmelser som framgår av direktiven 2014/30/EU, 2014/35/EU. Den fullständiga texten till EU-försäkran om överensstämmelse finns på följande webbadress: www.ubnt.com/compliance



Online Resources

Support help.ubnt.com

Community community.ubnt.com

Downloads downloads.ubnt.com

Ubiquiti Networks, Inc.
685 Third Avenue, 27th Floor
New York, NY 10017
USA



www.ubnt.com

©2015-2018 Ubiquiti Networks, Inc. All rights reserved. Ubiquiti, Ubiquiti Networks, the Ubiquiti U logo, the Ubiquiti beam logo, TOUGHCable, and UniFi are trademarks or registered trademarks of Ubiquiti Networks, Inc. in the United States and in other countries. Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries. Android, Google, Google Play, the Google Play logo and other marks are trademarks of Google LLC. All other trademarks are the property of their respective owners.

AJL083118