


Unifi[®] Talk



UniFi Talk Phone Touch

Modern UniFi Talk desk phone with 5" HD (720 x 1280) multi-touch screen, 5 MP camera, and easy setup with UniFi Talk service. Built on Android™.

The UT Phone Touch is Ubiquiti's next-generation enterprise desktop smartphone, built on Android Nougat. It features a higher-resolution 720 x 1280 HD color touchscreen display, an improved audio codec, redesigned physical buttons for convenient keypad, and volume control.



Mechanical

| | |
|------------|---------------------------------------|
| Dimensions | 166 x 140 x 183 mm (6.5 x 5.5 x 7.2") |
|------------|---------------------------------------|

| | |
|--------|-------------------|
| Weight | 1.10 kg (2.43 lb) |
|--------|-------------------|

| | |
|---------------------|--------------------------|
| Enclosure Materials | Plastic, Aluminum (Base) |
|---------------------|--------------------------|

Display

| | |
|--------------|----------------------|
| Display Size | 127 mm (5") Diagonal |
|--------------|----------------------|

| | |
|------------|----------------------|
| Resolution | 720 x 1280 HD (16:9) |
|------------|----------------------|

| | |
|-------------------|-----------------|
| Screen Technology | G+F Multi-Touch |
|-------------------|-----------------|

Video

| | |
|---------------|------|
| Camera Sensor | 5 MP |
|---------------|------|

| | |
|------------|-------------|
| Resolution | 2592 x 1944 |
|------------|-------------|

Audio

| | |
|--------------------------|--|
| Handset Dynamic Receiver | 16 ohm SPL 116 dB at 1 KHz, 30mW, 0 m |
|--------------------------|--|

| | |
|--------------------|--|
| Handset Microphone | Omnidirectional Electret Microphone SNR 70 dB Sensitivity -38 ± 3 dB |
|--------------------|--|

| | |
|-------|--|
| Codec | Standalone Hi-Fi Audio Codec IC Smart Speaker Amplifier |
|-------|--|

| | |
|--------------------|---|
| Hands-Free Speaker | Mono, 4 ohm Nominal Power 2W Max Power 3W SPL 80 dB at 1W, 0.5 m |
|--------------------|---|

| | |
|-----------------------|--|
| Hands-Free Microphone | Dual Omnidirectional MEMS Microphones SNR 64 dB Sensitivity -26 dBFS Digital Microphone |
|-----------------------|--|

Hardware

| | |
|-----------|-------------------------------------|
| Processor | Octa-Core ARM® Cortex® A53, 1.8 GHz |
|-----------|-------------------------------------|

| | |
|--------|-----------------------------|
| Memory | Storage: 32 GB RAM: 2 GB |
|--------|-----------------------------|

| | |
|-----------------|-------------------|
| Wi-Fi Standards | 802.11 a/b/g/n/ac |
|-----------------|-------------------|

| | |
|-------------|-------------|
| Power Input | 802.3af PoE |
|-------------|-------------|

| | |
|--------------|-----------------------------|
| Power Output | Type-C Port (Charging Only) |
|--------------|-----------------------------|



| | |
|-----------------------|--|
| Connectivity | (2) RJ45, 10/100/1000 Mbps Ethernet Bluetooth® 4.2 Wi-Fi 2.4 GHz b/g/n, 20/40 MHz Wi-Fi 5 GHz a/n/ac, 20/40/80 MHz, Slave DFS |
| Headset Support | 3.5 mm (0.14") Audio Jack |
| Operating Temperature | 0 to 40° C (32 to 104° F) |
| Operating Humidity | 10 - 90% Noncondensing |
| Certifications | FCC, IC, CE |

Software

| | |
|---------------------------------|--|
| OS | Android 7 |
| LED | Power Status: White Glowing |
| Audio DSP Algorithm | Active Echo Cancellation, Noise Suppression, Blind Source Separation |
| Protocol | SIP/SDP/RTP/RTCP/VLAN/DHCP |
| Number of Supported Phone Lines | Multiple |
| Controller | UniFi Talk |
| Minimum Software Requirements | Web Browser (Chrome™ Recommended) |



Specifications are subject to change. Ubiquiti products are sold with a limited warranty described at www.ui.com/support/warranty

©2020 Ubiquiti Inc. All rights reserved. Ubiquiti, the Ubiquiti U logo, the Ubiquiti beam logo, UniFi, UniFi Talk and UniFi Protect are trademarks or registered trademarks of Ubiquiti, Inc. in the United States and in other countries. All other trademarks are the property of their respective owners.